


6.1.15 Destination setup

[Function explanation]

[Function outline]

Sets the destination for data being uploaded or copied.

[Overview]



*This overview indicates the following process: Taro Sekkei sets the destination for data being uploaded.

[Main functions]

(1) Setup from directory

Destination can be setup from directory that stores information of companies, organizations, users, and processes.

(2) Setup from common address books

Destination can be setup from common address books stored at u-DIEX.

(3) Setup from personal address books

Destination can be setup from personal address books stored in client computers.


[Operating explanation with the screens]

Explains the procedure for destination setup in the overview by using Web-EDI screen.

-Destination setup from directory

- (1) Confirm that "Directory" has been selected for "Destination".
- (2) Click "Browse" button.

<Web-EDI Upload>




(2) Click "Browse" button.

Setup Destination (Directory) screen is displayed.

-To set a company for the destination

<Setup Destination (Directory) >



(3) Click "Search" button.

(4) Matched company to the search conditions is displayed.

(5) Tick off.

(6) Click "Set" button.

(8) Click "Destination" button.

Selected addresses are set for the destination.

-To set an organization for the destination

(1) Search for an organization being set.

<Setup Destination (Directory) >

u-DIEX - Microsoft Internet Explorer

(1) Select "Company Code". (2) Direct input. ex. "DEMO1". (4) Direct input. ex. "G0001".

Search

Enter search conditions, and click the "Search" button. For a detailed explanation of the search method, click [here](#).

Company Code DEMO1 AND Organization Code G0001 Search

Search Results

Select a destination from search results, and click the "Set" button.

(3) Select "Organization Code". (5) Click "Search" button.

Reset

all Destination (7) Click "Set" button.

all	Destination
<input checked="" type="checkbox"/>	G0001#DEMO1 SEKKEI Manufacture Div.

Selection

Select a destination from the above search results, and click the "Set" button.

(6) Matched organization to the search conditions is displayed.

(2) Set an organization.

<Setup Destination (Directory)>

u-DIEX - Microsoft Internet Explorer

Destination Setup (Directory) Cancel

Search

Enter search conditions, and click the "Search" button. For a detailed explanation of the search method, click [here](#).

Company Code DEMO1 AND Organization Code G0001 Search

Search Results

Select a destination from search results, and click the "Set" button.

Reset

all Destination

all	Destination
<input checked="" type="checkbox"/>	G0001#DEMO1 SEKKEI Manufacture Div.

Selection

If all of the selected contents displayed in the results are correct, click the "Destination" button. To save them in the address book, click the "Save to Address Book" button.

Save to Address Book Destination (9) Click "Destination" button.

Reset

all Destination

all	Destination
<input checked="" type="checkbox"/>	G0001#DEMO1 SEKKEI Manufacture Div.

(8) Selected organization in (7) is displayed.

Selected addresses are set for the destination.

-To set a user for the destination

(1) Search for the user being set.

The screenshot shows a web browser window titled "u-DIEX - Microsoft Internet Explorer". The search interface includes the following elements:

- Search Section:** A text input field with the instruction "Enter search conditions, and click the 'Search' button. For a detailed explanation of the search method, click [here](#)." Below it are two dropdown menus: "Company Code" with "DEMO1" selected and "User ID" with "SEKKEI0001" selected. A "Search" button is to the right.
- Search Results Section:** A text input field with the instruction "Select a destination from search results, and click the 'Set' button." Below it is a "Set" button.
- Destination Table:** A table with a header "all" and "Destination". The table contains one row:

all	Destination
<input checked="" type="checkbox"/>	SEKKEI0001@DEMO1 SEKKEI Taro Sekkei
- Selection Section:** A text input field with the instruction "Select a destination from the above search results, and click the 'Set' button." Below it is a "Set" button.

Annotations and callouts:

- (1) Select "Company Code".
- (2) Direct input. ex. "DEMO1".
- (3) Select "User ID".
- (4) Direct input. ex. "SEKKEI0001".
- (5) Click "Search" button.
- (6) Matched user to the search conditions is displayed.
- (7) Click "Set" button.

(2) Set the user.

<Setup Destination (Directory)>

The screenshot shows a web browser window titled "u-DIEX - Microsoft Internet Explorer" displaying the "Destination Setup (Directory)" page. The interface includes the following elements:

- Search Section:** A text input field with the instruction "Enter search conditions, and click the 'Search' button. For a detailed explanation of the search method, click [here](#)." Below it are two dropdown menus: "Company Code" with "DEMO1" selected and "User ID" with "SEKKEI0001" selected. A "Search" button is to the right.
- Search Results Section:** A text input field with the instruction "Select a destination from search results, and click the 'Set' button." Below it is a "Set" button.
- Destination Table:** A table with a header "all" and "Destination". The table contains one row:

all	Destination
<input checked="" type="checkbox"/>	SEKKEI0001@DEMO1 SEKKEI Taro Sekkei
- Selection Section:** A text input field with the instruction "If all of the selected contents displayed in the results are correct, click the 'Destination' button. To save them in the address book, click the 'Save to Address Book' button." Below it are "Save to Address Book" and "Destination" buttons.

Annotations and callouts:


- (8) Selected user in (7) is displayed.
- (9) Click "Destination" button.

Selected addresses are set for the destination.

-To set a process for the destination


(1) Search for the process being set.

<Setup Destination (Directory)>



(2) Set the process.


<Setup Destination (Directory)>



-Set the destination from the common address book.

- (1) Select common address book for Destination.
- (2) Click "Browse" button.

< (Web-EDI) Upload Setup >




(2) Click "Browse" button.

Setup Destination (Common Address Book) screen is displayed.

- (3) Search for common address book and set it for the destination.

<Setup Destination (Common Address Book)>



(2) Click "Search" button.

(5) Click "Set" button.


(8) Click "Destination" button.

Selected addresses are set for the destination.

-Set the destination from personal address book

- (1) Select "Personal address book" for Destination.
- (2) Click "Browse" button.

< (Web-EDI) Upload >




(2) Click "Browse" button.

Setup Destination (Personal Address Book) screen is displayed.

- (3) Click "Browse" button.


<Setup Destination (Personal Address Book)>



(3) Click "Browse" button.

- (4) Specify personal address book saved in the client computer.
- (5) Click "Open" button.

<Selection File of Browser>




(4) Specify personal address book in the client computer.

(5) Click "Open" button.

- (6) Click "Set" button.
- (7) Click "Destination" button.

Set

<Setup Destination (Personal Address Book)>



(6) Click "Set" button.

(8) Click "Destination" button.

(7) Address registered in common address book is displayed.
*Uncheck the box of unnecessary destination.

Selected addresses are set for the destination.