Installation Manual on Intra SSL Service <iPhone·iPad>

Note) The present manual covers up to Connection to Intra SSL. Once you succeeded in connecting to Intra SSL,

connect to each system.

Modification History

Date	Content
2015/01/22	publication of the first edition
2018/08/27	change the password expiration date
2019/01/01	changed campany name
2020/06/01	Change 'STEP2 Request of Certificate issuance'
2020/10/19	Change connection URL
2020/10/26	Password change procedure change. iPhone version and iPad version merges.
2022/10/5	Switch to new UI
2025/01/09	Replace login page image

Table of Contents

Contents				
Contact I	nformation	3		
Explanati	on for the authentication method	4		
An Overv	iew of Installation	5		
Procedur	e for connecting Intra SSL by iPad			
STEP1	Installation of application for VPN connection	6		
STEP2	Request of Certificate issuance	14		
STEP3	Install a Certificate	19		
STEP4-1	Connect to Intra SSL1	24		
	(for using authentication method $\textcircled{1}$)			
STEP4-2	Connect to Intra SSL2	26		
	(for using authentication method $\textcircled{2}$)			
STEP4-3	Connect to Intra SSL3	30		
	(for using authentication method (3))			
STEP5	Disconnect Intra SSL	33		

For any inquiries, please contact:

24-hour consultation service

Customer Service Center, TOYOTA SYSTEMS

A Question and Answer web service is

<https://ts-customer-center.custhelp.com/>

Explanation for the authentication method



An Overview of Installation

Installation procedure depend on your authentication method. Please check flow chart below.

Authentication method ①: User Authentication (ID and Password Authentication)

Customers who use the intra SSL with Smartphone Check Service

Authentication method⁽²⁾:User Authentication(ID and Password Authentication) and Smartphone Check Service

Authentication method ③: Smartphone Check Service



1. Total procedure at Installation for application of VPN connection

◆Caution

*You have to install the application only when you access first time.

- *You are able to use Intra SSL only the iPhone or iPad which you install the certificate.
- *In case of replacing your iPhone or iPad which you install the certificate, please contact our Customer Service Center (Please check 3 page in this manual).

♦Installation of Secure Access

(1) Tap the icon of "App Store" in the home menu.



(2) Search "Ivanti Secure Access Client" by typing in "Ivanti Secure Access" at Search box. Then tap "Ivanti Secure Access Client " appearing under the Search box.

	and the second sec		cocuro a	1.000									
フィル	9 Y	Q ivanti	secure a	iccess		J					0	キヤ	ンセル
Q iva	nti secure	e access o	lient										
			<u>h.</u>										
		7	!"Ŋ										
ن د	÷ 🖪												
ن د ۱	÷ 🛐		4	5		8		8		9			
ۍ ۲	→ 🔊 2 W	e e	÷ r	s t		8 Y	v u	8		9 0	I	p	
ۍ م ا	→ 19 2 W	³ e	4 r	s t		^в У	ú	8		9 0		q	
fy contraction of the second s	→ 🔊 2 W S	e d		s t	9	^в У	ŭ	8 1	k	9 0		q	×
ۍ م م	÷ 🔊 2 W S S Z	e e x	r r c	s t f	g	⁶ y	⁷ u	a j m	k	9 0		q	(天) (大) (大) (大) (大) (大) (大) (大) (大) (大) (大
€ 0	→ S W Z	e e d x	4 r c	S t v	g	⁸ y h	⁷ u n	e i j m	k	9 0		q	(天) (大) (大) (大) (大) (大) (大) (大) (大) (大) (大



<iPad>



(3) Tap download icon at "Ivanti Secure Access Client".



(4) App store ask your Apple ID. Enter your Apple ID and Password.



(5)After the installation finished, return to the home menu and tap the icon of "Secure Access".



(6)Enter [<u>https://g-ssl5.d-cruise.jp/sm1</u>] in Then tap "Add" button on the next scre	to URL bo en.	x and tap "Connect" button.
Welcome to Evant Secure Access Client		Add Connection Enter required fields below and click the add button to add a connection. Type Policy Secure (UAC) or Connect Secure (VPN) Connection Name (Optional)
Please enter either your corporate email address or the URL provided by your company. https://g-sd5.d-cruise.jp/sm1		URL* https://psel5.d-cruise.jp/em1 Username (Optional) Authentication Type Password Realm (Optional)
https://g-ssl5.d-cruise.jp/sn	<u>n1</u>	Role (Optional)
Version 22.2.1.90503 © 2010-2022 by Ivanti, Inc. All rights reserved.		Add Connect

(7)Tap "Allow" when permission message appears. PIN may require.

Connection Name		
(Optional)		
URL*		
https://g-ssl5.d-cruise.jp/sm1		
Username		
(Optional) Authentication Type	"Secure Access" Would Like to Add VPN Configurations All network activity on this IPad may be filtered to monitore up the Web	
Password Realm	Allow Don't Allow	
(Optional)		
Role		
(Optional)		

(8)Check under "Connections" if your new connection is created. Then return to the home menu.

=			
	((o)) No Active Connections		
Connections	nnect/disconnect		•
g-ssl5.d-cruise.jp/sm1		((e))	:

(9)Start "Safari" from home menu.



(10) Tap address bar and enter the following URL. After entering the URL, tap "Go" button.

• au 4G	Notice 3:24 PM @ 7 56%	,
	Top Hit 3号微海外sm1 g-sil3.d-cruise.jp/sm1	Enter the URL
o ♂	ð	
1 0	2 3 4 5 6 7 8 9 0 🛪	

(11)Enter Connection ID and Temporary Password described in Intra SSL Application User ID (Registration). Then,tap Login.

Notes: (1) See Intra SSL Application User ID (Registration). (2) Make sure the password be correct. ex. O and 0, I and 1. 17:15 **?**■ ₿ 192.168.30.17 Ç ۸A OLogin Welcome to the Device Authentication CA ΠA Connection I Connection ID: Enter Connection ID. Password: Enter Temporary Password. հ Change password 🗈 Manual Privacy policy

(12)Current Password :Re-enter the Temporary Password you entered at (11).
 New Password :Enter more than 6 characters(only one-byte character).
 New Password(confirm):Re-enter your New Password you entered above.



(13) Check the success of changing password. 17:51 A 192.168.30.17 TOYOTA SYSTEMS Password Change Chaging the password is complete. Back to login page Privery Policy

The procedure of STEP1 was finished.

In addition, Customers who use the Smartphone Check Service configure the STEP2.

Request of Certificate issuance(In case of requesting Certificate issuance by iPad)

(1)After entering following URL at address bar, please tap "Go" Button.



(3) Email Address \rightarrow Enter your email address.

Email Address (Confirmation) \rightarrow Re-enter the abovementioned email address. Family name \rightarrow Enter your last name.

First name \rightarrow Enter your first name.

Company \rightarrow Enter your company name.



(4) The page of "Confirm the input informarion" appears. Tap "Apply".

onfirm the inpu	t information]	
onfirm the input informat	on	
Confirm the in	out information	
Entor upor inf	ormation	
Enter user mi	officiation	
Please confirm that the infi if correct, click 'Apply', if in	rmation below is correct.	
r correct, click Apply, it in	UNBC, CICK GO BACK	
User Information		
User Information Connection ID	••••	
User Information Connection ID Email	••••	
User Information Connection ID Email	••••	
User Information Connection ID Email Family name	••••	
User Information Connection ID Email Family name First name	· · · · · · · · · · · · · · · · · · ·	
User Information Connection ID Email Family name First name Company	••••• ••••• ••••• ••••• •••••	





(6)You are able to receive an email to email address which you registered at (3).

Confirm the receipt of the following mail.

From : CA Office <helpdesk@tns.toyotasystems.com>

To : Mail address you entered at (3)

Subject: Confirmation notice of registration.(xxxxx@global)

(7)Please open the mail of (6), and tap the URL into the text.



Notes: When you tap the URL but it doesn't appear on the screen, copy the URL and paste it to the browser's address bar.



Please confirm the receipt of the following mail.

From : CA Office <helpdesk@tns.toyotasystems.com>

To : Email address you entered at (3).

Subject : Notice of Certificate Issuance for Smartphone(xxxxx@global)



[STEP3] Install a Certificate

◆Install a certificate	
If you conducted 【STEP2-2】,ple Your iPad's display already show t	ase proceed from (2). he page of (2).
(1)After entering following URL at add	ress bar, please tap "Go" Button.
https://da-ssl.d-crui	se.jp/
•••• a 4	
< https://da-sol.d-cruise.jp/en/	Enter the URL
1 2 3 4 5 6 7 8 9 6 - / : ; () 5 8 6 *** undo . , ? ! ' ' ABC ABC ABC	
(2)Connection ID : Re-enter the User Password : Re-enter the New P	name you entered at 【STEP1】(11). assword you entered at 【STEP1】(12).

Postando Postando	Enter the items as shown above and tap Login.

[STEP3] Install a Certificate



[STEP3] Install a Certificate

(6) In case of requiring Passcode, please enter the Passcode.



(7)After the installation finished,tap "Done" button. In next page,tap "Logout" button .







[STEP4-1] Connect to Intra SSL⁽¹⁾(for using authentication method⁽¹⁾)

Connect to Intra SSL()(for using authentication method())

(8) Tap icon of "Safari" in home menu.



(9) After entering following URL at address bar, tap "Go" Button.



(STEP4-1) Connect to Intra SSL⁽¹⁾(for using authentication method⁽¹⁾)

(10)Connection ID : Re-enter the Username you entered at [STEP1] (11). Password : Re-enter the New Password you entered at [STEP1] (12).



(11)Tap "VPN" button and Secure Access will be started automatically.



23

(STEP4-1) Connect to Intra SSL⁽¹⁾(for using authentication method⁽¹⁾)

(12)Check the number of Active Connection. VPN connection is established successfully if it describes a connection number.

-
Active Connection
g-ssl5.d-cruise.jp/sm1 Active Connection
Connections +
Swipe and Tap 🕪 to connect/disconnect
g-ssl5.d-cruise.jp/sm1
Connection icon will be
Connection icon will be changed to green
Connection icon will be changed to green
Connection icon will be changed to green
Connection icon will be changed to green
Connection icon will be changed to green
Connection icon will be changed to green

(13)Tap icon of "Safari" in home menu.



(STEP4-1) Connect to Intra SSL⁽¹⁾(for using authentication method⁽¹⁾)

(14) You are able to access each application by entering URL in address bar. If there is Web Bookmark of the application in Intra SSL Home, you are able to access also by Web Bookmark.

••••• nu 46 3:24 PM	• • • • • •	E < > AA	a g-ssl5.d-cruise.jp	c 🖞 + 🖸
Top Hit			Connect Secure Home	Sign Out
3号機海外sm1 g-ssl3.d-oruise.jp/sm1				
		ΤΟΥΟΤΑ		
		Welcome to the TOYOTA SYSTE	MS SSL VPN	
		Web Bookmarks		
		TS Service Site (Japa	nese)	
		Change password		
		AII Test Site		
		4 /m		
5 C D				
1 2 3 4 5 6 7 8 9	0 🗵			
- / : ; () \$ & @				
x+- undo . , ? ! ' "	Υ.			
АВС 🌐 🕼	ABC			

<Enterring App's URL>

<Using bookmarks>

[STEP4-2] Connect to Intra SSL⁽²⁾(for using authentication method⁽²⁾)

Connect to Intra SSL⁽²⁾(for using authentication method⁽²⁾)

(8) Tap the icon of "Safari" at home menu.



(9) After entering following URL at address bar, tap "Go" Button.



(STEP4-2) Connect to Intra SSL⁽²⁾(for using authentication method⁽²⁾)

(10)Connection ID : Re-enter the Username you entered at [STEP1] (11). Password : Re-enter the New Password you entered at [STEP1] (12).



(11)Tap "VPN" button and Secure Access will be started automatically.



(STEP4-2) Connect to Intra SSL⁽²⁾(for using authentication method⁽²⁾)

(12)Check the number of Active Connection. VPN connection is established successfully if it describes a connection number.

Activ	ve Connec	ctior	ו
Global-SSL (User &	Cert Authentication)		
Connections Swipe and Tap 📾 to connect/disconnect Global-SSL (Cert Authentication Only)	(0)	•	
Global-SSL (User & Cert Authentication)		:	
g-ssl5.d-cruise.jp/sm1	(ioi)	:	
Connection ico changed to gre	n will be en		

(13)Tap icon of "Safari" in home menu.



(STEP4-2) Connect to Intra SSL⁽²⁾(for using authentication method⁽²⁾)

(14) You are able to access each application by entering URL in address bar. If there is Web Bookmark of the application in Intra SSL Home, you are able to access also by Web Bookmark.

••••• au 46 < > []]	3:24 PM https://g-ssia.o-cruise.jp/smi	● 1 56% ■>+	AA	🗎 g-ssl5.d-cruise.jp	c 🖞 + 🖸
Top 3号: g-ssi	Hit 機道外sm1 H3.d-oruse.ja/sm1			Connect Secure Home	Sign Out
			Welcome to the TOYOTA SYSTE	EMS SSL VPN	
			Web Bookmarks		
			TS Service Site (Japa	anese)	
			Change password		
			ATI Test Site		
5 C 🗗					
1 2	3 4 5 6 7 8 9	0 🗵			
- /	:;()\$&				
#+- undo	. , ? ! ′ ″	Ω.			
ABC 🌐	Q	ABC 🛒			

<Enterring App's URL>

<Using bookmarks>

[STEP4-3] Connect to Intra SSL③(for using authentication method③)

Connect to Intra SSL3 (for using authentication method3)

(8) Tap the icon of "Safari" at home menu.



(9) After entering following URL at address bar, tap "Go" Button.



(STEP4-3) Connect to Intra SSL③(for using authentication method③)

(10)Tap "VPN" button and Secure Access will be started automatically.



(11)Check the number of Active Connection. VPN connection is established successfully if it describes a connection number.



(STEP4-3) Connect to Intra SSL③(for using authentication method③)

(12) Tap the icon of "Safari" at home menu.



(13) You are able to access each application by entering URL in address bar. If there is Web Bookmark of the application in Intra SSL Home, You are able to access also by Web Bookmark.

; m + m

••••• au 46	3:24 PM	⊕ + 56%	AA < > 🗖	🗎 g-ssl5.d-cruise.jp	C
				Connect Secure Home	
	3号機海外sm1 g-ssl3.d-oruise.jp/sm1				
			ΤΟΥΟΤΑ		
			VPN Preferences		
			Welcome to the TOYOTA SYSTEM	IS SSL VPN	
			Web Bookmarks		
			TS Service Site (Japa	nese)	
			Change password		
			ATLTest Site		
5 ⊂ 6	פ				
1 2	3 4 5 6 7 8 9 (0 🗵			
<u> </u>	<u>.</u> , () ^φ α @				
#+-	undo . , ? ! ' "	<u> </u>			
авс 🌐	AF AF	ac 📖			
<	<pre><enterring app'="" pre="" s="" ur<=""></enterring></pre>	XL>	<us< td=""><td>ing bookmar</td><td>ks></td></us<>	ing bookmar	ks>

in case of using VPN On-Demand service, please check "[Exhibit] VPN On-demand Connection Configuration Manual".

[STEP5] Disconnect Intra SSL

Disconnect the Intra SSL

(1)Tap "Secure Access" at home menu.



(2) Tap Connection menu icon. Choose "Disconnect"



[STEP5] Disconnect Intra SSL

Disconnect the Intra SSL

(3)Connection status turns to "No Active Connection". Also VPN icon disappears from task tray.

The second secon			
Connections		ŧ	
Swipe and Tap 📾 to connect/disconnect			
Global-SSL (Cert Authentication Only)	((0))	:	
Global-SSL (User & Cert Authentication)	((0))	:	
g-ssl5.d-cruise.jp/sm1	((0))	:	
© VPN @ 64% 🗲			ම 🕑 64% 🗲
<vpn enable=""></vpn>			<vpn disable=""></vpn>